


ARROYO SECURE SERIES (CEILING)





EXTERIOR ☒ INTERIOR ☐ DSCSP33

*Any copy hereof issued by CARRITEC must be kept confidential and used by the recipient only for the specific purpose for which it is issued in conjunction with materials supplied or purchased and listed hereon.

*Dimensions are imperial.




ARROYO SECURE SERIES (CEILING)



CARRITEC SCREW IN ACCESS PANEL
 MATERIAL: 16GA CRS
 PERFORATION: AS REQUIRED
 ACOUSTICAL: AS REQUIRED
 FINISH: AS REQUIRED

SECTION "1" w/ ACCESS PANEL



SECTION "2"

EXTERIOR ☒ INTERIOR ☐ DSCSP33

*Any copy hereof issued by CARRITEC must be kept confidential and used by the recipient only for the specific purpose for which it is issued in conjunction with materials supplied or purchased and listed hereon.


*Dimensions are imperial.

TOLERANCES (UNLESS OTHERWISE SPECIFIED):

FRACTIONS: $\pm 1/64$
 ANGLES: ± 0.5
 DECIMALS: $-.XX \pm 0.03$
 $-.XXX \pm 0.015$



ARROYO SECURE SERIES (CEILING)



EXTERIOR ☒ INTERIOR ☐ DSCSP33

*Any copy hereof issued by CARRITEC must be kept confidential and used by the recipient only for the specific purpose for which it is issued in conjunction with materials supplied or purchased and listed hereon.

*Dimensions are imperial.

TOLERANCES (UNLESS OTHERWISE SPECIFIED):

FRACTIONS: + 1/64


ANGLES: ± 0.5

DECIMALS: -.XX ± 0.03


-.XXX ± 0.015




ARROYO SECURE SERIES (CEILING)




DETAIL C
PANEL LOCKING



DETAIL D
ACCESS PANEL



DETAIL E
ACCESS DOOR (LOCK)



DETAIL F
ACCESS DOOR (HINGE)

EXTERIOR ☒ INTERIOR ☐ DSCSP33

*Any copy hereof issued by CARRITEC must be kept confidential and used by the recipient only for the specific purpose for which it is issued in conjunction with materials supplied or purchased and listed hereon.

*Dimensions are imperial.

TOLERANCES (UNLESS OTHERWISE SPECIFIED):

FRACTIONS: + 1/64
ANGLES: ± 0.5
DECIMALS: -.XX ± 0.03
 -.XXX ± 0.015

